

FASTESTICS CC MOTORCYCLE **INTHE SEGMENT**



WICKED STYLE

INDIA'S FIRST COMMUTER BIKE WITH TFT CONSOLE

NAKED STREET DESIGN

UNIQUE LED TAIL LAMP



TVS





VICKED PERFORMANCE



ADVANCED 3-VALVE ENGINE Air-oil cooled engine





MULTIPLE RIDE MODES



10% MORE MILEAGE*





BEST-IN-BEST-IN-CLASSCLASS TORQUEACCELERATION11.75 Nm @6000 rpm0-60 km/h in 5.8 sec



15% MORE MILEAGE* AND SMOOTH ENGINE PERFORMANCE

*Under TVSM internal test conditions.

VICKED CONNECTED TECH

TFT CONSOLE

REVERSE LCO



99 FEATURES

85+ FEATURES







DN-THE-GD CALL MANAGEMENT



SPORTS UPDATES



NAVIGATION




ON-CONSOLE



WEATHER UPDATES



WICKED SAFETY+CONVENIENCE





ROTOPETAL DISC BRAKE





SIDE STAND INDICATION AND ENGINE CUTOFF

HELMET ATTENTION INDICATION





USB CHARGER





VICKED COMFORT



COMFORTABLE RIDING POSTURE















180 MM GROUND CLEARANCE



WIDER SPLIT SEAT



WICKED COLOURS





FIERY YELLOW_

FORZA BLUE_



WICKED BLACK_

STRIKING RED_





BLAZING BLUE

NARDO GREY_



BLACK PANTHER_

IRON MAN_

SMARTXONNECT VARIANT IS AVAILABLE ONLY IN FIERY YELLOW, FORZA BLUE AND WICKED BLACK.



TECHNICAL SPECIFICATIONS

	SX	IGO	DISC	DRUM
Seat	Split	Split	Single & Split	Single
Screen	TFT	New Reverse LCD	Reverse LCD	Reverse LCD
Ambient Sensor	Yes	Yes	No	No
Connected Tech	99+ features	85+ features	No	No
SmartXonnect	Yes	Yes	No	No
Voice Assist	Yes	Yes	No	No
Call Management	Yes	Yes	No	No
Maximum Torque in Nm	11.2@6000rpm	11.75@6000rpm	11.2@6000rpm	11.2@6000rp
Technology	Intelligo	Intelligo+assist	Intelligo	Intelligo

ENGINE & TRANSMISSION

Туре	Air & Oil cooled single cylinder, SI		
Bore x Stroke (mm)	53.5 x 55.5		
Piston Displacement (cc)	124.8		
No. of Valves	3		
Maximum Power in kW	8.37 @ 7500 rpm		
aaNo. of Gears	5 speed		
Pattern	1-N-2-3-4-5		
CHASSIS DIMENSIONS & WEIGHT			
Overall Length (mm)	2070		
Overall Height (mm)	1028		
Overall Width (mm)	785		
Wheelbase (mm)	1326		
Ground Clearance (mm)	180 (Unladen)		
Kerb Weight (kg)	123		
SUSPENSION			
Front Type	Telescopic		
Rear Type	Monoshock, 5-step adj, Gas charged		
TYRE			
Front Tyre	80/100 - 17 tubeless		
Rear Tyre	100/90 - 17 tubeless		
BRAKES			
Front Disc/Drum (mm)	Disc - 240, Drum - 130		
Rear Drum (mm)	130 SBT		
ELECTRICALS			
Battery Type & Spec.	MF battery, 12V 4 Ah		
Headlamp	LED		
Tail Lamp	LED		
CAPACITIES			
Fuel Tank (litre)	10		

Accessories shown as part of the images may not be part of standard equipment. Technical specifications may change without prior notice.

TVS X TVS MOTOR COMPANY LIMITED
P.B. No.4, Harita, Hosur - 635 109, Tamil Nadu, India.
Tel: +91 (04344) 276780 | Fax: +91 (04344) 276878

