



**UNSTOPPABLE POWER.
UNMATCHED CONTROL.**
INDIA'S MOST POWERFUL* 160cc NOW WITH **UPSIDE DOWN SUSPENSION**



Best-in-Class 17.55 PS Power



Dual Channel ABS



3 Ride Modes

Apache

RTR 160 4V

RACING DNA UNLEASHED

*Best-in-class power in air-cooled/oil-cooled 160cc class

CONFIDENCE-INSPIRING CONTROL

The TVS Apache RTR 160 4V, the most powerful 160cc in its class, is now here with unmatched control. With track-derived upgrades, the race machine is even more primed to claim victory.



USD SUSPENSION*

More control, more stability, more confidence. The 37mm Upside Down (USD) Suspension enhances stability – delivering a more balanced and controlled ride on the straights, and quicker response and greater agility in the corners.

RACE-INSPIRED AESTHETICS*

Sporty race graphics, premium gold-finished front forks and coloured alloy wheels elevate the race-inspired aesthetics of the TVS Apache RTR 160 4V. Together, they give the race machine a bold, dynamic presence that perfectly complements its high-performance capabilities.



GRANITE GREY



MATTE BLACK



PEARL WHITE

ENTER THE PERFORMANCE WORLD



A worldwide community of over 450,000 Apache enthusiasts who share the passion for rides of all kinds.



The platform for adrenaline-packed stunt shows and training sessions, under safe conditions and expert guidance from professional stunt riders.



Get track-ready with training sessions led by championship winning mentors across the country, and frequent races to test your skills against expert racers and fellow enthusiasts.



Get your hands on official **Apache Merchandise** and branded goodies at <https://shop.tvsmotor.com>

TVS APACHE RTR 160 4V

SPECIFICATIONS

ENGINE

Type	SI, 4 Stroke, Oil-Cooled, SOHC, Fuel Injection
Engine Capacity	159.7 cm ³
Maximum Power	Sport: 12.91 kW (17.55 PS) @ 9250 rpm Urban / Rain: 11.5 kW (15.64 PS) @ 8600 rpm
Maximum Torque	Sport: 14.73 Nm @ 7500 rpm Urban / Rain: 14.14 Nm @ 7000 rpm
Fuel Supply System	Fuel Injection: Bosch - Closed Loop
Valve Per Cylinder	4 Valves
Ignition	Electric Start
Cooling System	Oil-Cooler with Ram Air Assist
Muffler	Bullpup Exhaust Design
Gearbox	5 Speed Gearbox
Power to weight ratio	0.088 kW/kg
Frame	Double Cradle Split Synchro Stiff Frame
Front Suspension	Upside Down Forks with 37mm dia
Rear Suspension	Monoshock

FUEL TANK CAPACITY

Full	12 L
------	------

DIMENSION

Height	1050 mm
Length	2035 mm
Width	819 mm
Wheelbase	1357 mm
Ground Clearance	180 mm
Saddle Height	800 mm

ELECTRICAL

Battery	12V, 6Ah
Headlamp	LED Headlamp with DRL
Tail Lamp	LED

TYRE

Tyre (Front)	90/90-17 49P Tubeless
Tyre (Rear)	130/70 R17 M/C 62P Tubeless (Radial tyre)

BRAKE

Front	270 mm dia Petal Disc
Rear	240 mm dia Petal Disc
Brake Fluid	DOT 3 / DOT 4

WEIGHTS

Kerb Weight	146 kg
-------------	--------

PERFORMANCE

Max Speed	Sport: 114 km/h Urban / Rain: 103 km/h
-----------	---

KEY FEATURES

- » USD Front Forks
- » Ride Modes – Sport, Urban & Rain
- » Dual Channel ABS with RLP
- » Coloured Alloy Wheels
- » Bluetooth Connectivity with Voice Assist
- » LED Headlamp with DRL
- » Adjustable Brake and Clutch Levers
- » Radial Rear Tyre



SWASTIK TVS
M/S SR. RADHE AUTOTECH PRIVATE LIMITED, BSEVILLAGE, CHAKKAR, COA, SECTOR 14, NEAR JUDICIAL ACADEMY
CHITPAK
CHITPAK
Tel: 801102734
Web: www.tvsmotor.com

Apache

RTR 160 4V

RACING DNA UNLEASHED



Scan to know more

Above specifications are certified as per **BS-VI** vehicle norms.

#TVSApacheSeries



Visit www.tvsmotor.com/tvs-apache

TVS MOTOR COMPANY



TVS Motor Company Limited, P.B. No. 4, Harita, Hosur - 635 109, Tamil Nadu, India.
Telephone: +91 (4344) 276878 / 277311.